


Adapter unions

Geberit Mapress corner elbow tap connector 90°



Application Purpose

- For flow-through hot water lines (TWW) or circulation connections (TWZ)

Characteristics

- Female thread
- Leaky if unpressed
- With pressing indicator

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	90° / 90°

Scope Of Delivery

- Seal rings ClIR black

Ordering Information

Article no.	dØ [mm]	Rp ["]	d1Ø [mm]	L [cm]	L1 [cm]	l [cm]	l1 [cm]	Z [cm]
33503	15	1/2	15	6	4,3	1,3	1,5	4

Adapter unions

Geberit Mapress adapter union with male thread



Application Purpose

- For sanitary and industrial applications
- For heating installations

Characteristics

- Male thread
- Removable, flat seal
- Union nut made of brass
- Leaky if unpressed
- With pressing indicator

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Operating temperature with EPDM flat gasket	0–100 °C


Scope Of Delivery

- Seal ring ClIR black
- EPDM flat gasket

Ordering Information

Article no.	dØ [mm]	R ["]	G ["]	H [cm]	L [cm]
35330	15	1/2	3/4	4,4	6,4
35331	15	3/4	3/4	4,6	6,6
35332	18	1/2	3/4	4,4	6,4
35333	18	3/4	3/4	4,6	6,6
35334	22	1/2	1	4,6	6,7
35335	22	3/4	1	4,7	6,8
35336	22	1	1	5,2	7,3
35337	28	1	1 1/4	5,5	7,8
35338	35	1 1/4	1 1/2	5,9	8,5
35339	42	1 1/2	1 3/4	6	9
35340	54	2	2 3/8	6,8	10,3

Geberit Mapress adapter union with male thread, union nut made of stainless steel



Application Purpose

- For sanitary and industrial applications
- For heating installations

Characteristics

- Male thread
- Removable, flat seal
- Union nut made of CrNi steel
- Leaky if unpressed
- With pressing indicator

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Operating temperature with EPDM flat gasket	0–100 °C

Scope Of Delivery

- Seal ring ClIR black
- EPDM flat gasket

Ordering Information

Article no.	dØ [mm]	R ["]	G ["]	H [cm]	L [cm]
35360	15	1/2	3/4	4,4	6,4
35361	15	3/4	3/4	4,6	6,6
35362	18	1/2	3/4	4,4	6,4
35363	18	3/4	3/4	4,6	6,6
35364	22	1/2	1	4,6	6,7
35365	22	3/4	1	4,7	6,8
35366	22	1	1	5,2	7,3
35367	28	1	1 1/4	5,5	7,8
35368	35	1 1/4	1 1/2	5,9	8,5
35369	42	1 1/2	1 3/4	6	9
35370	54	2	2 3/8	6,8	10,3

